

PROTECT



STONE IMPREGNATOR

ADVANTAGES

- EXCLUSIVE fluoropolymer bonding
- Ultimate penetrating protection against staining
- Will not change the appearance of your stone
- Solvent-based
- Allows for easier cleaning
- Interior and Exterior applications

SURFACES

- Protects all natural stone surfaces
- Excellent for sealing grout
- Seals concrete and brick
- Great for sealing various engineered stones
- Can be used with dense and porous surfaces
- Protects both polished and honed finishes

SIZES AVAILABLE

- 2 oz. Sample Bottle
- 22 oz. Spray Bottle
- Quart
- Gallon
- 5-Gallon
- 55-Gallon

PRODUCT COVERAGE

800-1600 sq. ft. per gallon depending on porosity

LONGEVITY

Interior: 2-5* years Exterior: 1-3* years *estimate

DANGER: Use only as directed. Avoid eye and skin contact. Do not take internally. Keep container closed when not in

EMERGENCY FIRST AID:

If Swallowed: Do not induce vomiting. Drink large quantities of water and call a physician immediately.

Eye Contact: Flush thoroughly with water and seek medical attention.

Skin Contact: Rinse skin with water. If irritation persists seek medical attention.

Keep out of reach of children.

Avoid prolonged exposure to vapors.

Do not store near heat sources and do not freeze.

720 g/L V.O.C.

DIRECTIONS:

- 1. Read the Material Safety Data Sheet (MSDS) completely before use.
- 2. Using ZERO-Ultimate Surface Cleaner, all surfaces should be thoroughly cleaned and dried.
- Apply Stone Impregnator with a spray bottle (recommended) or a low-pressure sprayer (25psi max)
- 4. Allow Stone Impregnator to soak into your stone surface for 20-30 minutes.
- 5. Some stone surfaces are more porous than others. If Stone Impregnator penetrates within 15 minutes, multiple applications are necessary. Repeat this process until your stone remains "wet" after 15 minutes.
- 6. If your stone surface is still "wet" after 30 minutes, remove excess sealer with a dry cloth or towel.
- 7. If a light haze or residue remains after drying, it may be removed by moistening a clean towel or cloth with Stone Impregnator and gently wiping the surface clean.
- 8. For maximum stain protection, allow 24 hours for complete curing. During this curing process, keep surface free of all potential staining materials.
- No two stone surfaces are alike. When properly applied, Stone Impregnator protects for several years but some heavy use areas can benefit from multiple applications throughout the year.

THE FUTURE OF STONE PROTECTION...TODAY!